

## NOP Data

Date Submitted 7/1/2009 to 10/31/2009

Date Refreshed 11/1/2009

### NOP Status

Status	
Not Valid	167
Valid	3337
	<b>3,504</b>

### Delivery System

MCO	NOP count
Anthem	1,176
MDwise	1,302
MHS	959
None	67
	<b>3,504</b>

### NOP Status

	Not Valid		Valid	
	Members	NOPs	Members	NOPs
<b>Anthem</b>	51	53	1,118	1,123
<b>MDwise</b>	61	61	1,239	1,241
<b>MHS</b>	35	35	920	924
<b>None</b>	18	18	49	49
	<b>165</b>	<b>167</b>	<b>3,326</b>	<b>3,337</b>

### Pregnancy Risk from NOP Submission

Diagnosis of Pregnancy Risk	NOP Count	Percentage of NOPs
V22 - Normal	2,428	69.29 %
V23 - High	1,076	30.71 %
	<b>3,504</b>	

### NOP MCO Risk Level

	HIGH	LOW	MED	Not Specified
<b>Anthem</b>	677	21	165	313
<b>MDwise</b>	826	200	159	117
<b>MHS</b>	612	236	87	24
<b>None</b>				67
	<b>2,115</b>	<b>457</b>	<b>411</b>	<b>521</b>

### Submission Risk Level

	HIGH		LOW	
	NOPs	Members	NOPs	Members
<b>Anthem</b>	1,069	1,063	107	107
<b>MDwise</b>	1,160	1,150	142	142
<b>MHS</b>	850	845	109	109
<b>None</b>	54	54	13	13
	<b>3,133</b>	<b>3,112</b>	<b>371</b>	<b>371</b>

# Member Demographics

Date Submitted 7/1/2009 to 10/31/2009

Date Refreshed 11/1/2009

## Number of Weeks Pregnant

Number of Weeks Pregnant	Number of NOPs
1 - 12 Weeks	1397
13 - 27 Weeks	1813
28+ Weeks	294
	<b>3,504</b>

## Age

Age Groups	Number of NOPs
Under 15	12
15 - 18	465
19 - 25	1,991
26 - 35	921
36 - 45	114
46 - 55	1
	<b>3,504</b>

## Ethnicity

Ethnicity	Number of NOPs
Hispanic	184
Non-Hispanic	3320
	<b>3,504</b>

## Race

Race	Number of NOPs
White	2706
Black	609
Other	155
Asian	34
	<b>3,504</b>

## Language

Primary Language	Number of NOPs
English	3483
Other	6
Spanish	15
	<b>3,504</b>

## Social Risk Factors

Date Submitted 7/1/2009 to 10/31/2009

Date Refreshed 11/1/2009

### Substance Abuse History

Substance Abuse	Status	Count of NOPs	% of All NOPs	% Ready to Quit
Alcohol	Yes	354	10.10 %	47.52 %
Amphetamines	Yes	23	0.66 %	3.09 %
Cocaine/Crack	Yes	55	1.57 %	7.38 %
Inhalants/Glue	Yes	1	0.03 %	0.13 %
Marijuana	Yes	451	12.87 %	60.54 %
Methadone	Yes	21	0.60 %	2.82 %
Narcotics/Heroin	Yes	38	1.08 %	5.10 %
Sedatives	Yes	17	0.49 %	2.28 %
Other	Yes	54	1.54 %	7.25 %

### Social Risk Factors

Social Risk Factors	Status	Count of NOPs	Percentage of All NOPs
Homeless	Yes	30	0.86 %
Learning Disability	Yes	45	1.28 %
Lives Alone	Yes	105	3.00 %
No Family Support	Yes	36	1.03 %
No Telephone	Yes	46	1.31 %
Rape	Hx	149	4.25 %
Transportation Problems	Yes	166	4.74 %
Unemployed	Yes	957	27.31 %
Unstable Home	Yes	49	1.40 %

### Psycho-Neurological

Psycho-Neurological History	Status	Count of NOPs	Percentage of All NOPs
Clinical Depression	Current	185	5.28 %
Clinical Depression	Hx	461	13.16 %
Post Partum Depression	Current	1	0.03 %
Post Partum Depression	Hx	185	5.28 %
Suicide	Current	8	0.23 %
Suicide	Hx	77	2.20 %

### Tobacco History

Tobacco Use	Number of NOPs	% of Total NOPs
Current Tobacco Use	1088	31.05 %
Used in Past 12 Months	1576	44.98 %

Tobacco Use	Number of NOPs	Users	% of Users
Ready to Quit Next 30 Days	745	1,088	68.47 %
Referred to Tobacco Quit Line	642	1,088	59.01 %

## Tobacco Use by MCO

Date Submitted 7/1/2009 to 10/31/2009

Date Refreshed 11/1/2009

	Ready to Quit Next 30 Days	Referred to Tobacco Quit Line	Current Tobacco Use	Used in Past 12 Months
Anthem	274	235	388	553
MDwise	271	181	377	543
MHS	186	222	305	454
None	14	4	18	26

## Other Risk Factors and Referrals

Date Submitted 7/1/2009 to 10/31/2009

Date Refreshed 11/1/2009

### Body Mass Index

BMI	Count of NOPs	Percentage of All NOPs
BMI Greater Than 30	1044	29.79 %
BMI Less Than 19	240	6.85 %

### Previous Infant Findings

Previous Infant/findings	Count of NOPs	Percent age of All NOPs
Birth Weight Greater Than 4000 gm	101	2.88 %
Birth Weight Less Than 2500 gm	100	2.85 %
Current Preterm Labor	13	0.37 %
History Preterm Labor	250	7.13 %
Preterm Labor 30 - 36 Weeks	166	4.74 %
Preterm Labor Less Than 30 Weeks	49	1.40 %
Previous Fetal Demise	77	2.20 %
Stillborn Greater Than 28 Weeks	31	0.88 %

### Referrals

Referrals	Count of NOPs	Percent age of All NOPs
Domestic Violence Hotline	83	2.37 %
Mental Health/Substance Abuse	175	4.99 %
PSUPP	341	9.73 %
Tobacco Quit Line	642	18.32 %

## Maternal Medical History

Date Submitted 7/1/2009 to 10/31/2009

Date Refreshed 11/1/2009

### Most Common Current Medical Conditions

Rank	Condition	NOP Count	Percentage of All NOPs
1	STIs	89	61.81 %
2	Chronic UTIs	65	45.14 %
3	Cancer	4	2.78 %

### Most Common Historical Medical Conditions

Rank	Condition	NOP Count	Percentage
1	STIs	262	62.83 %
2	Chronic UTIs	148	35.49 %
3	Pylonephritis	31	7.43 %
4	Eating Disorder	15	3.60 %

### Other Maternal Medical History

Rank	Condition	NOP Count	Percentage
1	Asthma/COPD	397	18.85 %
2	STIs	318	15.10 %
3	Anemia	187	8.88 %
4	Chronic UTIs	185	8.78 %
5	Hypertension	176	8.36 %
6	Thyroid Condition	171	8.12 %
7	Seizure Disorder	139	6.60 %
8	Cardiac Condition	130	6.17 %
9	DM (I or II)	128	6.08 %
10	Periodontal/Dental Problems	89	4.23 %
11	Pylonephritis	33	1.57 %
12	Renal Condition	25	1.19 %
13	Sickle Cell Anemia	25	1.19 %
14	Other Coagulation Disorder	24	1.14 %
15	Sickle Cell Anemia - recent Crisis	24	1.14 %
16	Hepatitis B or C	19	0.90 %
17	Cancer	16	0.76 %
18	Auto-Immune Disorder	10	0.47 %
19	Current Uterine Anomolies/Fibroids	10	0.47 %

## Maternal Obstetrical History

Date Submitted 7/1/2009 to 10/31/2009

Date Refreshed 11/1/2009

### Most Common Current Obstetrical Conditions

Rank	Condition	NOP Count	
1	Lack of Maternal Weight Gain	55	1.57 %
2	Placenta Previa	30	0.86 %
3	Gestational Diabetes	21	0.60 %
4	Multiple Gestation	18	0.51 %
5	Preterm Labor	13	0.37 %
6	Incompetent Cervix	12	0.34 %
7	Tocolytics Used	12	0.34 %
8	Preg - Ind HTN	9	0.26 %
9	Cerclage Placement	6	0.17 %
10	Placenta Abruptio	3	0.09 %
11	Pre-eclampsia	1	0.03 %

### Most Common Historical Obstetrical Conditions

Rank	Condition	NOP Count	
1	Preterm Labor	250	7.13 %
2	Pre-eclampsia	86	2.45 %
3	Gestational Diabetes	85	2.43 %
4	Preg - Ind HTN	77	2.20 %
5	Tocolytics Used	66	1.88 %
6	PROM	47	1.34 %
7	Multiple Gestation	35	1.00 %
8	Cervix Dilation	29	0.83 %
9	Incompetent Cervix	22	0.63 %
10	Placenta Abruptio	21	0.60 %
11	Placenta Previa	20	0.57 %
12	Lack of Maternal Weight Gain	16	0.46 %
13	Eclampsia	12	0.34 %
14	Cerclage Placement	7	0.20 %

## Maternal Obstetrical History

### Other Obstetrical Conditions

Rank	Condition	Answer	NOP Count	
1	Prior C-Section	Yes	405	11.56 %
2	SABS/TABS	LT3	386	11.02 %
3	Rh Negative	Yes	263	7.51 %
4	Previous Fetal/Neonatal Demise	Yes	77	2.20 %
5	SABS/TABS	GE3	65	1.86 %
6	Vaginal Bleeding Greater Than 2 Episodes	Yes	60	1.71 %
7	History of Cone Biopsy	Yes	47	1.34 %
8	Current Hypermesis Less Than 10 lbs	Yes	43	1.23 %
9	Current Hypermesis Greater Than 10 lbs	Yes	15	0.43 %
10	Reduction w/ or w/o Complication	Yes	4	0.11 %